

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	119863	\$4acryl\$4 same polyurethane same polyether nera polyamin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:10
L2	78	\$4acryl\$4 same polyurethane same polyether near polyamin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:10
L3	518	\$4acryl\$4 and polyurethane and polyether near polyamin\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:25
L4	146	polyether near polyamin\$2 same (react\$4 or adduct) same (epox\$4 or acrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:26
L5	112	polyether near polyamin\$2 same (react\$4 or adduct) with (epox\$4 or acrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:26
L6	112	polyether near polyamin\$2 same (react\$4 or adduct) with (epox\$4 or acrylate or methacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:27
L7	17	polyether near polyamin\$2 with adduct with (epox\$4 or acrylate or methacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:33
L8	361	polyamin\$2 same modif\$6 with adduct with (epox\$4 or acrylate or methacrylate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:35

L9	148	18 and polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:37
L10	134	18 and polyurethane and \$4acryl\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:37
L11	1	polyamin\$2 same modif\$6 with adduct with (epox\$4 or acrylate or methacrylate) and adeka near corporation.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:52
L12	1	polyamin\$2 same modif\$6 and adeka near corporation.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:52
L13	3	polyamin\$2 with (reduc\$6 or low\$4) with reactivity same block\$4 with (polyurethane or poly adj urethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 16:58
L14	103	polyamin\$2 with (oxyethylene or polyether) same block\$4 with (polyurethane or poly adj urethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:00
L15	18	polyamin\$2 near2 (oxyethylene or polyether) same block\$4 with (polyurethane or poly adj urethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:00
L16	0	polyamin\$2 same mannich near reaction and blocked near polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:01

L17	0	polyamin\$2 same mannich near reaction same blocked near polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:01
L18	0	polyamin\$2 same mannich near reaction same blocked near polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:01
L19	0	polyamin\$2 same mannich same blocked near polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:02
L20	2	polyamin\$2 same mannich and blocked near polyurethane	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:02
L21	24	polyamin\$2 with (oxyethylene or polyether) with polyamide with adduct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:03
L22	157	polyamin\$2 with (oxyethylene or polyether) with (polyamide or acrylate or methacrylate or epoxide or epoxy) with adduct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:16
L23	159	polyamin\$2 with (oxyethylene or polyether) with (polyamide or acrylate or methacrylate or epoxide or epoxy) with adduct	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:16
L24	24	polyamin\$2 with (oxyethylene or polyether) near2 adduct with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:17

L25	21	I24 not I21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:17
L26	739	active near hydrogen same adduct with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:20
L27	15	I26 same block\$4 with (polyurethane or poly adj urethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:20
L28	174	active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:23
L29	3	active near hydrogen same reactivity near2 (lower\$3 or reduce\$3 or modify) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:24
L30	6	active near hydrogen same reactiv\$3 near2 (lower\$3 or reduce\$3 or modify) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:24
L31	174	active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:25
L32	95	active near hydrogen with reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:26

L33	105	active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) and (\$4isocyanate or \$4polyurethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:26
L34	48	active near hydrogen same reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:27
L35	3	active near hydrogen same reactivity with (reduc \$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:28
L36	545	active near hydrogen same (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:29
L37	3	active near hydrogen same reactivity with (reduc \$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy) same (\$4isocyanate or \$4polyurethane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:29
L38	778	active near hydrogen same (\$4isocyanate or \$4polyurethane) and (demon\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:30

L39	778	active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:30
L40	829	active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:30
L41	7	active near hydrogen same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reduc\$4 or lowered or lowering or modif\$6) with reactivity with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:31
L42	22850	(diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:34
L43	7848	(diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:34

L44	9777	((diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane) and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:35
L45	2633	((diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane)).ab. and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:36
L46	282	((diamin\$2 or diol or polyamin\$2 or polyol) same (\$4isocyanate or \$4polyurethane)).ti. and (diamin\$2 or diol or polyamin\$2 or polyol) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:36
L47	3264	((diamin\$2 or polyamin\$2) same (\$4isocyanate or \$4polyurethane)) and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:37
L48	651	((((diamin\$2 or polyamin\$2) same (\$4isocyanate or \$4polyurethane))).ab. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:37

L49	559	((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))).ab. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:37
L50	37	((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))).ti. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:38
L51	398	((((diamin\$2 or polyamin\$2) with (\$4isocyanate or \$4polyurethane))).clm. and (diamin\$2 or polyamin\$2) with (reacted or react or reaction or modif\$6) with (polyamide or acrylate or methacrylate or epoxide or epoxy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:49
L52	109	I49 and I51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:51
L53	101	I52 not I50	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/04 17:51

2/ 4/ 2008 6:07:06 PM

C:\Documents and Settings\ssastri\My Documents\EAST\Workspaces\10541400b.wsp